



MATERIAL SAFETY DATA SHEET

PRODUCT NAME: ENCAPUCLEAN WITH MAXIM CC08

SECTION 1: COMPANY AND PRODUCT IDENTIFICATION

PRODUCT NAME: Encapuclean with Maxim

Manufactured By:

Bridgepoint Systems

4282 W 590 W

Salt Lake City, Utah 84123

Company Phone Number: 801-261-1282

Emergency Phone Number: 1-800-535-5053 (Infotrac)

Date Prepared: 02/01/2011

Hazard Rating (Zero=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme)

Fire: 0 Health: 1 Reactivity: 0

SECTION 2 COMPOSITION/INFORMATION ON COMPONENTS

PRINCIPLE HAZARDOUS INGREDIENTS:

Glycol Ether DPNB (CAS # 29911-28-2)

TLV

N/E

OSHA PEL

N/E

SECTION 3 HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

IMMEDIATE HEALTH EFFECTS

Eyes: Overexposure may cause irritation to eyes.

Skin: Prolonged and repeated contact may cause irritation to skin.

Inhalation: Inhalation is not likely to cause harmful effects.

Ingestion: Single dose oral toxicity is low. Swallowing large amounts may be harmful.

PRIMARY ROUTES OF ENTRY: Eyes, skin contact/absorption, inhalation or ingestion.

SIGNS/SYMPTOMS OF OVEREXPOSURE: Gastrointestinal irritation (nausea, vomiting, diarrhea), and/or irritation to the skin, eyes, nose, throat, and respiratory tract.

TARGET ORGAN EFFECTS: Irritation of the skin and eyes. Irritation of lungs possible if mists/aerosols are inhaled repeatedly.

REPRODUCTIVE/DEVELOPMENTAL INFORMATION: No data available.

CARCINOGENIC INFORMATION: None of the ingredients of this material are listed as carcinogens by IARC, NTP, or OSHA.

LONG TERM EFFECTS: No data available.

PRIMARY ROUTES OF ENTRY: Eyes, skin contact/absorption, inhalation or ingestion.

SIGNS/SYMPTOMS OF OVEREXPOSURE: Gastrointestinal irritation (nausea, vomiting, diarrhea), and/or irritation to the skin, eyes, nose, throat, and respiratory tract.

MATERIAL SAFETY DATA SHEET
PRODUCT NAME: ENCAPUCLEAN WITH MAXIM CC08

Page 2 of 4

TARGET ORGAN EFFECTS: Irritation of the skin and eyes. Irritation of lungs possible if mists/aerosols are inhaled repeatedly.

REPRODUCTIVE/DEVELOPMENTAL INFORMATION: No data available.

CARCINOGENIC INFORMATION: None of the ingredients of this material are listed as carcinogens by IARC, NTP, or OSHA.

LONG TERM EFFECTS: No data available.

SECTION 4 FIRST AID MEASURES

EYES: Flush eyes with water for at least 15 minutes. If irritation persists, consult a physician.

SKIN: If irritation occurs, flush skin with water for at least 15 minutes. If irritation persists, consult a physician

INHALATION: If symptoms of overexposure develop, remove to fresh air. If symptoms persist, consult a physician.

INGESTION: Give 8 to 16 ounces of water to dilute substance. Do not induce vomiting. Consult a physician or local Poison Control Center. Never give anything by mouth to an unconscious person.

SECTION 5 FIRE FIGHTING MEASURES

FLASHPOINT (° Fahrenheit): No flash below boil.

EXPLOSIVE LIMITS: No data available.

AUTOIGNITION TEMPERATURE: No data available.

HAZARDOUS PRODUCTS OF COMBUSTION: In the event of fire, the following may be released: Carbon dioxide and/or carbon monoxide.

EXTINGUISHING MEDIA: Water spray, foam, dry chemical powder of carbon dioxide.

FIRE FIGHTING INSTRUCTIONS: Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece operated in positive pressure mode. Move containers from fire area if it can be done without risk. Use water to keep fire-exposed containers cool.

NFPA/HMIS RATINGS: Health: 1, Flammability: 0, Reactivity: 0

SECTION 6 ACCIDENTAL RELEASE MEASURES

SMALL SPILL: For small spills, soak up material with an absorbent such as clay, sand, or other suitable material and dispose of properly. Flush area with water to remove trace residue.

LARGE SPILL: Wear respirator and protective clothing as appropriate. Shut off source of leak if it is safe to do so. Dike and contain spilled material. Remove with vacuum trucks or pump to storage/salvage containers. Soak up residue with an absorbent such as clay, sand, or other suitable material. Flush area with water to remove trace residue.

SECTION 7 HANDLING AND STORAGE

HANDLING: Handle and open containers with care. Do not handle near an open flame, heat, or other source of ignition.

STORAGE: Store in a cool, well ventilated place away from incompatible materials. Do not store near an open flame, heat, or other source of ignition. Protect material from direct sunlight.

MATERIAL SAFETY DATA SHEET
PRODUCT NAME: ENCAPUCLEAN WITH MAXIM CC08

Page 3 of 4

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

EYE/FACE PROTECTION: Chemical splash goggles in compliance with OSHA regulations are advised; however, OSHA regulations also permit other types of safety glasses. Consult your safety representative.

SKIN PROTECTION: Wear rubber gloves (consult your safety representative). Wear impervious clothing and boots to prevent repeated or prolonged skin contact.

RESPIRATORY PROTECTION: If workplace exposure limits of product or any component are exceeded, a NIOSH/MSHA approved air supplied respirator is advised in absence of proper environmental control. OSHA regulations also permit other NIOSH/MSHA respirators (negative pressure type) under specified conditions (consult your safety representative). Engineering controls or administrative controls should be implemented to reduce exposure.

ENGINEERING CONTROLS: Provide sufficient mechanical ventilation (general and local exhaust) to maintain exposure below the level of overexposure from known, suspected or apparent adverse effects.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: Clear light amber liquid/mild lemon fragrance

pH: 7.5

VAPOR PRESSURE: No data available.

VAPOR DENSITY: No data available.

BOILING POINT: 212 °F

SOLUBILITY IN WATER: Dispersible.

EVAPORATION RATE: (water = 1) approximately 1

DENSITY: 1.063

SECTION 10 STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable.

CONDITIONS TO AVOID: None with proper storing and handling.

MATERIALS TO AVOID: Oxidizing materials.

HAZARDOUS DECOMPOSITION: Upon combustion, the following may be produced:
Carbon monoxide and/or carbon dioxide.

HAZARDOUS POLYMERIZATION: Will not occur.

SECTION 11 TOXICOLOGICAL INFORMATION

ROUTES OF EXPOSURE: Skin absorption, eye contact, inhalation, and ingestion.

CARCINOGENITY: None of the components of this material are listed as carcinogens by IARC, NTP, or OSHA.

TERATOGENICITY, MUTAGENICITY, OR OTHER REPRODUCTIVE EFFECTS: No data available.

CONDITIONS AGGRAVATED BY EXPOSURE: No data available.

SYNERGISTIC MATERIALS: No data available

Glycol Ether DPNB

Ingestion -LD50, Rat, female 3,700 mg/kg LD50, Rat, male 4,400 mg/kg

Skin Absorption -LD50, Rabbit, male 6,490 mg/kg, LD50, Rabbit, female 5,330 mg/kg

Inhalation -LC50, 4 h, Aerosol, Rat > 2.04 mg/l

MATERIAL SAFETY DATA SHEET
PRODUCT NAME: ENCAPUCLEAN WITH MAXIM CC08

Page 4 of 4

SECTION 12 ECOLOGICAL INFORMATION

Glycol Ether DPNB

Fish Acute & Prolonged Toxicity -LC50, guppy (*Poecilia reticulata*), 96 h: 841 mg/l
Aquatic Invertebrate Acute Toxicity -LC50, water flea *Daphnia magna*: > 1,000 mg/l

SECTION 13 DISPOSAL CONSIDERATIONS

Do not dispose of on the land, in surface waters, or in storm drains. Small spills and waste may be flushed into a waste treatment sewer where local regulations permit. Larger quantities should be collected for reuse or consigned to a licensed hazardous waste hauler for disposal in accordance with federal, state and local regulations. **All disposal must be in accordance with all federal, state and local regulations.**

SECTION 14 TRANSPORT INFORMATION

No restrictions for Ground, Air, or Maritime Transportation in accordance with 49 CFR parts 100-185.

SECTION 15 REGULATORY INFORMATION

US Federal Regulations:

All components are listed on TSCA

SECTION 16 OTHER INFORMATION

This product has no established regulatory information. All regulatory information given is based on individual components of the mixture by component number. While this information and recommendations set forth herein are believed to be accurate and reliable, it is provided without warranty regarding its accuracy. BRIDGEPOINT SYSTEMS MAKES NO WARRANTY WITH RESPECT HERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON. Users must determine safe conditions for use and assume liability for any loss, injury, damage or expense resulting from use of this product.

N/A= Not applicable N/D= Not determined N/E= Not established