

**Safety Data Sheet**  
**FASTBREAK**

<b>HYDRAMASTER CORP.</b>  11015 47TH AVE. SE MUKILTEO, WA 98275 (425) 775-7272	DATE PREPARED: ..... MAR 1, 2012 DATE REVISED: ..... MAR 1, 2013  24 HOUR EMERGENCY PHONE NUMBER PERS: ..... 1-800-633-8253
--	---

**SECTION I – PRODUCT IDENTIFICATION**

**PRODUCT NAME:** ..... FASTBREAK  
**CHEMICAL FAMILY:** ..... MILDLY ALKALINE MATERIAL  
**FORMULA:** ..... N/A  
**CAS NUMBER:** ..... N/A

**SECTION II – HAZARDOUS IDENTIFICATION**

**EMERGENCY OVERVIEW:**  
**EYES:** ..... May cause severe eye irritation.  
**SKIN (DERMAL):** ..... Skin contact may cause irritation.  
**SWALLOWING (INGESTION):** May cause severe gastrointestinal irritation and/or ulceration of the mouth and throat. Single dose oral LD50 has not been determined.  
**INHALATION:** ..... Vapors and mist may cause respiratory tract irritation.  
**MEDICAL CONDITION AGGRAVATED**  
**BY EXPOSURE:** ..... Existing skin and/or respiratory disorders may be aggravated by exposure.  
**CHRONIC OVEREXPOSURE:**.. None known  
**OSHA REGULATORY STATUS:** Since this product is a mixture, there is no defined PEL's (Personal Exposure Limits) established by OSHA. ACGIH TLV's (Threshold Limit Values) for hazardous components are listed in the Hazardous Ingredients Section of this MSDS.

**SECTION III – COMPOSITION, INFORMATION ON INGREDIENTS**

**THRESHOLD LIMIT VALUE:**.. The TLV in section in section III is the ACGIH/TLV-TWA (threshold limit value/time weighted average concentration for an eight hour work day). The STEL is the short term exposure limit and the (Ceil) is the ceiling limit.

COMPONENT	PERCENT	CAS #	ACGIH/TWA	STEL/TLV
2-butoxyethanol	10-20	111-76-2	20 PPM	NOT EST.
Tetrapotassium pyrophosphate	5-10	7320-34-5	NOT EST.	NOT EST.
Naphthalene sulfonate	5-10	Trade secret	NOT EST.	NOT EST.

**SECTION IV – FIRST AID MEASURES**

**EYES:** ..... In case of contact, immediately flush eyes with lots of running water for at least 15 minutes. Call for medical assistance.  
**SKIN (DERMAL):** ..... Immediately wash with running water for 15 minutes. If irritation persists, seek medical advice. Wash contaminated clothing before reuse.

## Safety Data Sheet FASTBREAK

**SWALLOWING (INGESTION):** If conscious, give two or three glasses of water. Induce vomiting and continue until vomited fluid is clear. Seek immediate medical attention. Never give anything by mouth to an unconscious person.

**INHALATION:**..... If exposure by inhalation is suspected, immediately move exposed individual to fresh air. If individual experiences nausea, headache, dizziness, has difficulty in breathing or is cyanotic, seek a health care professional immediately. Never give anything by mouth to an unconscious person.

### SECTION V – FIRE FIGHTING MEASURES

**FLASHPOINT:**..... Non flammable, non combustible

**LOWER EXPLOSIVE LIMIT:**... N/A

**UPPER EXPLOSIVE LIMIT:**..... N/A

**EXTINGUISHING MEDIA:** ..... Use extinguishing media appropriate to primary cause of fire.

#### **SPECIAL FIRE FIGHTING**

**PROCEDURES:** ..... Avoid contact with fire fighting personnel as irritation may result from contact with skin. when fighting a fire near or involving this product, wear a self-contained breathing apparatus. (SCBA)

#### **UNUSUAL FIRE AND**

**EXPLOSION HAZARDS:** ..... None known

### SECTION VI – ACCIDENTAL RELEASE MEASURES

**SPILL/ LEAK PROCEDURES:**.. Appropriate protective clothing must be worn by trained cleanup personnel. Dilute with large quantities of water. Properly neutralized liquid (pH 6-9) may be disposed of in waste water treatment facilities. Check with local authorities first.

### SECTION VII – HANDLING AND STORAGE

**HANDLING INFORMATION:** .. Store away from strong acids, oxidizing compounds and other incompatible materials. Keep container tightly closed when not in use. **KEEP OUT OF REACH OF CHILDREN.**

**STORAGE REQUIREMENTS:**.. Keep containers tightly closed when not in use. Empty container completely and dispose of in accordance with applicable regulations. **SPILLS:** Contain spill. Absorb with inert material and dispose in accordance with applicable regulations. Store away from food production areas and food storage areas.

### SECTION VIII – EXPOSURE CONTROLS / PERSONAL PROTECTION

**EYE PROTECTION:**..... Chemical safety goggles. Contact lenses should not be worn when working with any chemicals.

**RESPIRATORY PROTECTION:**Respiratory protection should be worn if levels exceed defined PEL's for this product or any hazardous component listed in the Hazardous Ingredient Section of this MSDS.

#### **OTHER PROTECTIVE**

**EQUIPMENT:** ..... Rubber gloves, coveralls and protective footwear.

**VENTILATION:**..... Local exhaust sufficient to maintain TLV below permissible exposure limits.

# Safety Data Sheet

## FASTBREAK

### SECTION IX – PHYSICAL AND CHEMICAL PROPERTIES

**APPEARANCE:** ..... Opaque light amber viscous liquid with mild odor.  
**BOILING POINT:**..... Approx. 212° F.  
**VAPOR PRESSURE:**..... NOT EST.  
**VAPOR DENSITY (AIR=1):**..... NOT EST.  
**SPECIFIC GRAVITY:**..... 1.08  
**pH:** 9.5 ± 1.0 AS IS  
**SOLUBILITY IN WATER:**..... Completely soluble in water.

### SECTION X – STABILITY AND REACTIVITY

**STABILITY:** ..... Stable  
**HAZARDOUS**  
**POLYMERIZATION:** ..... Will not occur  
**INCOMPATIBILITY:** ..... Strong oxidizing agent, strong acids.  
**HAZARDOUS**  
**DECOMPOSITION:** ..... Carbon monoxide, carbon dioxide.

### SECTION XI – TOXICOLOGICAL INFORMATION

**TOXICOLOGICAL**  
**INFORMATION:** ..... **2-Butoxyethanol:** Routes of Entry: Absorbed through skin. Eye contact. Inhalation. Toxicity to Animals: WARNING: THE LC50 VALUES HEREUNDER ARE ESTIMATED ON THE BASIS OF A 4-HOUR EXPOSURE. Acute oral toxicity (LD50): 470 mg/kg (Rat). Acute dermal toxicity (LD50): 220 mg/kg (Rabbit). Acute toxicity of the vapor (LC50): 450 4hours (Rat). NTP carcinogen: No, IARC category: None.

### SECTION XII – ECOLOGICAL INFORMATION

**ECOLOGICAL**  
**INFORMATION:** ..... **2-Butoxyethanol:** Ecological Toxicity: Not Available. BOD5 & COD: Not Available. Products of Degradation: Possibly hazardous short term degradation products are not likely.

### SECTION XIII – DISPOSAL CONSIDERATIONS

**WASTE DISPOSAL:**..... Consult all LOCAL, STATE, and FEDERAL regulations with regard to proper and suitable disposal methods.

### SECTION XIV – TRANSPORTATION INFORMATION

**PROPER SHIPPING NAME:** ..... N/A  
**UN NUMBER:** ..... N/A

# Safety Data Sheet

## FASTBREAK

PACKAGING GROUP:..... N/A

### SECTION XV – REGULATORY INFORMATION

**LISTED CARCINOGEN:**..... None known

**TSCA STATUS:**..... All components in this product are listed on the TSCA inventory.

**SARA SECTION 313:** ..... This product **does not** contain any EPCRA section 313 chemicals subject to the reporting requirements of section 313 of the Emergency Planning Community Right-To-Know Act of 1986 (40CFR 372):

**NFPA HEALTH:** ..... 2

**NFPA FLAMMABILITY:** ..... 0

**NFPA REACTIVITY:** ..... 0

**R-PHRASES:** ..... NOT EST.

**S-PHRASES:** ..... NOT EST.

**CANADIAN WHMIS:**..... **2-Butoxyethanol:** CLASS B-3: Combustible liquid with a flash point between 37.8°C (100°F) and 93.3°C (200°F). CLASS D-1A: Material causing immediate and serious toxic effects (VERY TOXIC). CLASS D-2B: Material causing other toxic effects (TOXIC).

**CANADIAN DSL:** ..... Listed: (Domestic Substances List)

### SECTION XVI – OTHER INFORMATION

**REFERENCES:** ..... The information contained herein has been compiled from sources believed to be reliable and accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Hydramaster Corp. assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. Each user assumes the risk in their use of this product and should review the data and recommendations in the specific context of their intended use.

**FOOT NOTES:** ..... NOT EST. = Not Established, N/A = Not Applicable, (Ceil) = TLV ceiling limit.