

U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration
MATERIAL SAFETY DATA SHEET

Form Approved
OMB No. 44.R1387

Required under USDL Safety and Health Regulations for Ship Repairing,
Shipbuilding, and Shipbreaking (29 CFR 1915, 1916, 1917)

SECTION 1

MANUFACTURERS NAME: D.P.L. Enterprises, Inc.	EMERGENCY TELEPHONE NO: (702) 454-5515
ADDRESS (NUMBER, STREET, CITY STATE AND ZIP): 3868 E. Post Road Las Vegas, NV 89120	EFFECTIVE DATE: 22April 2011
CHEMICAL NAME AND SYNONYM: NA	TRADE NAME AND SYNONYMS: Dynamite
CHEMICAL FAMILY: Cleaner; Degreaser	FORMULA: Propriety cleaner

Chemical Name	CAS.NO.	Percent	TLV (Units)
Glycol Ether EB, Solvent	11-76-2	10	20 / 100 (skin) mg/m 3
Trisodium Phosphate, Cleaner	7601-54-9	Propietary	rat: LD50 = 3670 uL/kg; Oral,
9N9 Surfactant	9016-45-9	Propietary	Not Established
SXS 40 Solubilizing agent	1300-72-7	Propietary	rat: 1530 MG/KG; Oral

SECTION III – PHYSICAL DATA

BOILING POINT (F)	212	SPECIFIC GRAVITY (H ₂ O=1)	1
VAPOR PRESSURE (mm Hg)	NA	PERCENT VOLATILE BY VOLUME (%)	NA
VAPOR DENSITY (Air=1)	NA	EVAPORATION RATE (BU AC=1)	1
SOLUBILITY IN WATER	Complete		
APPEARANCE AND ODOR	Clear, yellow liquid; Butyl		

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (Method used): NA	FLAMMABLE LIMITS:	Lower	Upper
EXTINGUISHING MEDIA: NA			
SPECIAL FIRE FIGHTING PROCEDURES: NA			
UNUSUAL FIRE AND EXPLOSION HAZARDS: NA			

SECTION V– HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE: 20 / 100 (skin) mg/m 3
EFFECTS OF OVEREXPOSURE: Can cause eye irritation-avoid contact with eyes. Ingestion: Non-Toxic Ingested product
WARNING STATEMENTS: DANGER! CAUSES EYE IRRITATION. MAY CAUSE RESPIRATORY TRACT IRRITATION. GENERAL: Treatment is symptomatic and supportive. The product causes eye and skin irritation. May be harmful if swallowed. EYES: In case of contact with eyes, immediately flush with plenty of water for at least 15 minutes. Seek medical attention if irritation, pain, swelling, lacrimation, or photophobia persists.

SKIN: Immediately remove this from skin and wash with plenty of water. Remove contaminated clothing. Wash clothing and thoroughly clean shoes before reuse.

INHALATION: Inhalation of the dust may cause coughing and sneezing. Remove to fresh air immediately.

INGESTION: If victim is conscious and alert, give 2-4 cupfuls of milk or water. Never give anything by mouth to an unconscious person. DO NOT induce vomiting. Get medical attention immediately. Contact a Poison Control Center. Swallowing this product may cause severe nausea, vomiting, abdominal discomfort, and burning sensation.

SECTION VI – REACTIVITY DATA

STABILITY	UNSTABLE		CONDITIONS TO AVOID: Non known
	STABLE	X	

INCOMPATABILITY (Material to avoid))

HAZARDOUS DECOMPOSITION PRODUCTS

HAZARDOUS POLYMERIZATION	MAY OCCUR		CONDITIONS TO AVOID: Strong acids and bases
	WILL NOT OCCUR	X	

SECTION VII – SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE OF RELEASED OR SPILLED: Small spills may be collected with absorbent materials. Towels, etc. may be laundered and re-used. For large spills, flush area with water spray.

WASTE DISPOSAL METHOD: Where applicable and approved, local drains or special waste drains-according to federal, state and local regulations.

SECTION VIII – SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION (Specify type): An appropriate Niosh approved respirator for organic vapor and mist.

VENTILATION	LOCAL EXHAUST: X	SPECIAL: NA
	MECHANICAL (General):	OTHER: NA

PROTECTIVE GLOVES: Plastic EYE PROTECTION: Safety glasses or goggles

OTHER PROTECTIVE EQUIPMENT: Apron or coveralls: Tyvek suits or hoods.

SECTION IX – SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN HANDLING AND STORING: Do not re-store leftover solutions. Do not repackage or prepackage in unmarked containers. Store in strong plastic or glass.

OTHER PRECAUTIONS: Containers: Do not retain form more than 12 months from date of purchase on manufacture