

THE DYER'S GUILD

EndUser Material Safety Data Sheet™

Product Identity/Label Name:

DYE PREP-CATALYST / Dye Set-Penetrant

Section 1: MANUFACTURER INFORMATION & HAZARD WARNINGS

The Dyer's Guild
16285 SW 85th Ave. Ste. 301
Tigard, OR 97224

EMERGENCY PHONE: (800) 445-5143
INFORMATION PHONE: (800) 445-5143
DATE PREPARED: 1/28/97

HAZARD CODES: 0=Minimal, 1=Slight, 2=Moderate, 3=Serious, 4=Severe

CAUTION!

MAY CAUSE EYE IRRITATION.

HEALTH	FIRE	REACTIVITY
1	0	0

Section 2: HEALTH HAZARD DATA

ROUTES OF ENTRY/SIGNS & SYMPTOMS OF ACUTE EXPOSURE:

EYES: Direct contact with eyes can cause irritation. **SKIN:** Prolonged and/or repeated contact may cause irritation. **INHALATION:** No adverse effects expected. **INGESTION:** Unlikely to occur under normal use conditions. **DO NOT INGEST!**

Chronic Effects: None known. **Carcinogens:** None listed by NTP, IARC or OSHA. **Medical Conditions Aggravated by Exposure:** None known.

EMERGENCY & FIRST AID PROCEDURES:

EYES: Flush thoroughly with water for 15 minutes. If irritation persists, get medical attention. **SKIN:** Wash with soap and water. **INHALATION:** Remove to fresh air. **INGESTION:** Drink milk or water to dilute. Get medical attention if symptoms develop.

Section 3: PREVENTIVE MEASURES

Respiratory Protection: Normally not required.

Ventilation: General ventilation is satisfactory.

Gloves: Rubber. **Eye Protection:** Safety glasses without side shields. **Other Protective Equipment:** None.

Work/Hygienic Practices: THIS IS AN INDUSTRIAL CHEMICAL. FOLLOW GOOD HOUSEKEEPING AND HYGIENIC PRACTICES TO HELP PREVENT ACCIDENTAL EXPOSURE OR INGESTION.

Handling and Storing: No special procedures required. Follow label directions.

Section 4: HAZARDOUS COMPONENTS & EXPOSURE LIMITS

Hazardous Component Name	CAS #	OSHA PEL	ACGIH-TLV	Other Limit	% Wt
Isopropanol	67-63-0	400 ppm	400 ppm	N/A	0.95
Sodium Dodecyl Benzene Sulfonate	25155-30-0	N/A	N/A	N/A	2.0
This product is diluted to <0.2% when mixed with water and applied to carpets. At this dilution ratio, it is non-toxic.					

Section 5: PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point:	100°C	Specific Gravity:	1.01
Vapor Pressure:	N/A	Percent Volatile:	Nil.
Vapor Density (Air=1):	N/A	Evaporation Rate:	Slower than ether.
Solubility in Water:	N/R	pH:	N/R
Appearance/Odor:	Slightly milky pink emulsion/Mild odor.		

Section 6: FIRE & EXPLOSION HAZARD DATA

Flash Point (Method):	None	Flammable Limits, LEL:	N/A	UEL:	N/A
Extinguishing Media:	Use media appropriate for the materials fueling the fire.				
Special Firefighting Procedures:	None				
Unusual Fire and Explosion Hazards:	None.				

Section 7: REACTIVITY DATA

Stability: Stable **Hazardous Polymerization:** Will not occur. **Conditions to Avoid:** N/A. **Incompatibility:** N/A. **Hazardous Decomposition Products:** Normal products of combustion.

Section 8: SPILLS, DISPOSAL & SPECIAL CONSIDERATIONS

Spill/Leak Procedures: Small spill: Mop up or absorb on inert material. Large spill: Confine and collect.

Waste Disposal: Disposal of this material, its mixtures and any spill residues must be in accordance with local, state and federal requirements.

The Dyers Guild is a non-profit technical organization dedicated to the knowledge and advancement of color repair services. The following manufacturers and retail outlets use this service for their material safety data sheets: Americolor Corporation, Color/Match Custom Color Dyes, Dye Co., Pro Dyes, Dyeing Colors, Carpet Cleaners' Headquarters, plus their distributors and their retail customers. One telephone number handles all your needs.

This EndUser MSDS™, which complies with all state and federal standards, is provided in good faith in the interest of effective hazard communication. It is believed to be accurate and correct, however, due to the variability of end use conditions, which are beyond the control of The Dyer's Guild, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information herein. EndUser MSDSs are prepared by MSDS Rx, (206) 712-1343, and the form is Copyright ©1995, 1996 by John H. Watson.